

1. The reply filed on 10/10/08 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): Applicant has failed to specifically point out the support in the original disclosure for each of the newly presented claim limitations, i.e. "the lip including a projection extending inward of the receptacle and engagable with the medical instrument" (M.P.E.P. 714.02). Because of the procedure outlined in M.P.E.P. 2163.06 for interpreting the claims, it is noted that other art may be applicable under 35 U.S.C. 102 or 35 U.S.C. 103(a) once the aforementioned problem under 35 U.S.C. 112, first paragraph, is corrected. See 37 CFR 1.111. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JONATHAN ML FOREMAN whose telephone number is (571)272-4724. The examiner can normally be reached on Monday - Friday 8:00 am - 4:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Max Hindenburg can be reached on (571)272-4726. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Jonathan ML Foreman/  
Examiner, Art Unit 3736